

# SPECIFICATIONS

## PENDANT ARM USB



### Description

The Pendant Arm USB connects to a computer through USB and appears as a USB joystick. It is HID compliant and hence plug & play with most operating systems.

It has eight axes and controllable illumination of tip button. The rotary end has two pressure sensitive bands which gives a variable input based on the pressure applied. The rotary also has a vibration motor controllable by host software.

The Pendant Arm USB can be used both stand-alone on a tabletop or mounted on a Master Controller or other devices.

### Features

- USB HID joystick
- Stand-alone
- Ergonomic
- Plug and play with VJU Studio
- Vibration motor
- Illumination of tip button

# SPECIFICATIONS

## PENDANT ARM USB

### General Technical Specifications

Type		Pendant Arm USB
Dimensions	mm	Ø40x352
Weight	g	~450
Weight with base	g	~1700
Temperature Operational (ambient)	°C	0 to +50
Temperature Storage	°C	-20 to +70

### Electrical

Supply Voltage	VDC	5
Power Consumption	W	<1

### Communication

USB

### Ordering Part Numbers

Description (pendant arm options)	Part Number
Pendant Arm USB Titan 4	117012
Pendant Arm USB Atlas	120161
Pendant Arm USB Orion	117667

# SPECIFICATIONS

## PENDANT ARM USB





